How to Pop Email to Outlook

Webmail Access

You can access your email account through the following URL: <u>http://webmail.usalocalbiz.com</u>. The login is your full email address and your account password. We do have tools available to hosted domains to create new email accounts. Some want to take advantage of software like Outlook to view their email. For those who have email popped to Outlook, we've developed these instructions that cover Outlook 2007/2010 and IOS (iTouch, iPad, iPhone).

Those familiar with configuring email settings can skip the step by step instructions and use the following information:

Account type: **POP3** User Name: **your email address** Password: **your password**

Incoming mail server settings: Incoming mail server: **smtp.usalocalbiz.com** Incoming server (POP3) Port number: **995** (Requires SSL)

If your ISP provides outgoing mail, you will probably want to use their settings. However, if needed, you can use USALocalBiz's outgoing server by using the following settings:

Outgoing mail server (SMTP): smtp.usalocalbiz.com
Outgoing server (SMTP) requires authentification.
Outgoing server (SMTP) Port number: 465 (Using SSL encryption)

(You can also use Port number 587 and TLS encryption if you have problems.)

Log on to outgoing server using your email address, but replacing the @ with a .

For example, shane@culocalbiz.com would become shane.culocalbiz.com

Setting up Email to Outlook 2007

Let's take a look at how to setup your pop mail account in Outlook 2007.

First things first – check the version of Outlook you're currently using by going to Help > About Microsoft Office Outlook. The screen that displays will tell you your version. We'll begin with instructions for the latest Office Outlook 2007 setup.

- 1. Open Outlook.
- 2. Select Tools > Account Settings.
- 3. Select NEW from the secondary toolbar in the display window. This will allow you to create a new connection. You could also edit the existing pop email, if you have it setup for our old email server. Whichever route you choose, you will need your original password to create the account.



4. Choose the first selection – Microsoft Exchange, POP3, IMAP or HTTP. We'll use Secure POP.

Choose E-n	nail Service	光
G	Microsoft Exchange, POP3, IMAP, or HTTP	
	Connect to an e-mail account at your Internet service provider (ISP) or your organization's Microsoft Exchange server.	
C	Other	
	Connect to a server type shown below.	

5. After clicking next, do not enter information into the following screen. You will want to select the checkbox on the lower left of the window – Manually configure server settings or additional server types.

/ Manually configure server settings or additional server types		

6. Select Internet Email – the first selection. Click Next.

Choose E-mail Service			7
Internet E-mail			
Connect to your POP, IMAP, or HTTP ser	er to send and receive e	-mail messages.	
Microsoft Exchange			
Connect to Microsoft Exchange for acces	to your e-mail, calendar	, contacts, faxes and vo	pice mail.
O Other			
Connect to a server type shown below.		-	
Outlook Mobile Service (Text Messaging)			

7. Enter your information into the relevant field. The account type is **POP**. The mail server for both outgoing and incoming is: **smtp.usalocalbiz.com**. The username is your full email address. The



password has stayed the same from the old mail server. Note: check the "Require login using Secure Password Authentication (SPA)".

Change E-mail Account		×			
Internet E-mail Settings Each of these settings are required to get your e-mail account working.					
User Information		Test Account Settings			
Your Name:	Shane Rogers	After filling out the information on this screen, we			
E-mail Address:	shane@culocalbiz.com	button below. (Requires network connection)			
Server Information					
Account Type:	POP3 👻	Test Account Settings			
Incoming mail server:	smtp.usalocalbiz.com				
Outgoing mail server (SMTP):	smtp.usalocalbiz.com				
Logon Information					
User Name:	shane@culocalbiz.com				
Password:	*****				
📝 F	lemember password				
🔽 Require logon using Secure	Password Authentication (SPA)	More Settings			
		< Back Next > Cancel			

- 8. Click More Settings on the above screen. You can edit the existing account to return to the above screen, if you clicked NEXT.
- 9. A four tabbed dialog window appears. Select the second tab titled "Outgoing Server" and tick the checkbox then the second radio button. Please note that your User Name is your email address with the @ replaced by a period. For example, here shane@culocalbiz.com has become shane.culocalbiz.com.

Internet E-mail Settings							
General Outgoing Server Connection Advanced							
W nutgoing server (SMTP) requires authentication							
Use same settings as my incoming mail server							
O Log on using							
User Name: shane.culocalbiz.com							
Password: *****							
Remember password							
Require Secure Password Authentication (SPA)							
Log on to incoming mail server before sending mail							
OK Cancel							



 Select the fourth tab titled "Advanced" and tick the "This server requires an encrypted connection (SSL) checkbox. This automatically changes the incoming server port number from 110 to 995. Leave that change as it is.

Internet E-mail Settings
General Outgoing Server Connection Advanced
Server Port Numbers
Incoming server (POP3): Use Defaults
This server requires an <u>encrypted</u> connection (SSL)
Outgoing server (SMTP): 465
Use the following type of engrypted connection: SSL
Server Timeouts
Short Long 1 minute
Remove from server after 10 days
Remove from server when deleted from 'Deleted Items'
OK Cancel

11. Change the Outgoing server (SMTP) to **465** (use Port number **587** and TLS encryption if you have problems) and from the drop down menu next to "Use the following type of encrypted connection," choose SSL.

NOTE: You can also choose to leave a copy of your email messages on the server from this Advanced tab. Tick the checkbox and select the configuration you would like.

12. Click OK when you have the configuration complete. You can begin sending and receiving email through Outlook.



Setting up Email for Outlook 2010

Let's take a look at how to setup your pop mail account in Outlook 2010.

First things first – check the version of Outlook you're currently using by going to Help > About Microsoft Office Outlook. The screen that displays will tell you your version. We'll begin with instructions for the latest Office Outlook 2007 setup.

- 1. Open Outlook.
- 2. Select File > Info.
- Select + Add Account from the display window. This will allow you to create a new connection. You could also edit the existing pop email, if you have it setup for our old email server. Whichever route you choose, you will need your original password to create the account.
- Do not enter information into the following screen. You will want to select the checkbox on the lower left of the window – Manually configure server settings or additional server types. Then click Next.

Manually configure server settings or additional s	erver types		
	a Brada	Nexts	Contract

5. Select Internet Email – the first selection. Click Next.

Add New Account	×
Choose Service	×
 Internet E-mail Connect to POP or IMAP server to send and receive e-mail messages. Microsoft Exchange or compatible service Connect and access e-mail messages, calendar, contacts, faxes and voice mail messages. Text Messaging (SMS) Connect to a mobile messaging service. 	
< <u>B</u> ack <u>N</u> ex	xt > Cancel

6. Enter your information into the relevant field. The account type is **POP**. The mail server for both outgoing and incoming is: **smtp.usalocalbiz.com**. The username is your full email address. The



password has stayed the same from the old mail server. Note: check the "Require login using Secure Password Authentication (SPA)".

Add New Account ×					
Internet E-mail Settings Each of these settings are required to get your e-mail account working.					
User Information Your Name:	Shane Rogers	Test Account Settings After filling out the information on this screen, we			
E-mail Address:	shane@culocalbiz.com	recommend you test your account by clicking the button below. (Requires network connection)			
Server Information Account Type: Incoming mail server: Outgoing mail server (SMTP): Logon Information User Name: Password:	POP3 v smtp.usalocalbiz.com smtp.usalocalbiz.com Shane *********	Test Account Settings ✓ Test Account Settings by dicking the Next button Deliver new messages to: New Outlook Data File Existing Outlook Data File Browge 			
☑ Reguire logon using Secure Password Authentication (SPA) More Settings					
< Back Next > Cancel					

- 7. Click More Settings on the above screen. You can edit the existing account to return to the above screen, if you clicked NEXT.
- 8. A four tabbed dialog window appears. Select the second tab titled "Outgoing Server" and tick the checkbox then the second radio button. Please note that your User Name is your email address with the @ replaced by a period. For example, here shane@culocalbiz.com has become shane.culocalbiz.com.

Internet E-mail Settings					
General Outgoing Server Connection Advanced					
My outgoing server (SMTP) requires authentication					
Use same settings as my incoming mail server					
O Log on using					
User Name: shane.culocalbiz.com					
Password: *****					
Log on to incoming mail server before sending mail					
Uog on to incoming mail server before senting mail					
OK Cancel					



 Select the fourth tab titled "Advanced" and tick the "This server requires an encrypted connection (SSL) checkbox. This automatically changes the incoming server port number from 110 to 995. Leave that change as it is.

Internet E-mail Settings
General Outgoing Server Connection Advanced
Server Port Numbers
Incoming server (POP3): Use Defaults
This server requires an encrypted connection (SSL)
Outgoing server (SMTP): 465
Use the following type of engrypted connection: SSL
Server Timeouts
Delivery
Leave a copy of messages on the server
Remove from server after 10 days
Remove from server when deleted from 'Deleted Items'
OK Cancel

10. Change the Outgoing server (SMTP) to **465** (use Port number **587** and TLS encryption if you have problems) and from the drop down menu next to "Use the following type of encrypted connection," choose SSL.

NOTE: You can also choose to leave a copy of your email messages on the server from this Advanced tab. Tick the checkbox and select the configuration you would like.

11. Click OK when you have the configuration complete. You can begin sending and receiving email through Outlook.



Setting up Email for iOS (iPhone, iPad, iTouch)

Let's take a look at how to setup your pop mail on your iPhone, iPad or iTouch device. First pull up your apps page.



Once on this page, simply click on **Settings**

iPod 奈	2:53 PM		ļ
Settings	lail, Contac	ts, Calen	
Accounts	,		
iCloud Not Verified			>
Joeyoder Mail			>
Josephyc Mail	oder		>
Add Acco	ount		>
			_
Fetch Ne	w Data	Push	>
Mail			
Show	200 Recent	Messages	>

Once on this page, simply click on Add Account...



Which will open this window. Here click on **Mail, Contacts, Calendars**



Opening this window. Here click on **Other**





Pressing Other will open this window. Here you will click on **Add Mail Account** This will open the New Account window.



Press the POP button above and then scroll down the page to show more settings. Stop when you see the settings for Incoming Mail Server



Here you will enter your Name, Email address, password and a brief description of the account. After doing so, click the Next button above.



Enter Host Name as **smtp.usalocalbiz.com** For User Name use your email address and then enter the password associated with the account. Then scroll down further.





Now to enter settings for the Outgoing Mail server, use the same settings as before, except substitute a period in place of the @ symbol. Shown here, shane@culocalbiz.com has become **shane.culocalbiz.com**.

iPod 奈	2:58 PM	Ð
Cancel	Culocalbiz	Done
Incoming Mail Server		
Host Name	smtp.usalocalbi	z.com
User Name	shane@culocalbi	z.com
Password	•••••	
Outgoing N	lail Server	
SMTP	smtp.usalocalbiz.	.com >
Advanced		>
Delete Account		

You will now see the window above. push **smtp.usalocalbiz.com**

iPod 奈	2:58 PM 💷	
Cancel (Culocalbiz Done	
Account		
POP Account Information		
Name	Shane	
Email	shane@culocalbiz.com	
Description	Culocalbiz	
Incoming Mail Server		
Host Name	smtp.usalocalbiz.com	
User Name	shane@culocalbiz.com	
Password	•••••	

After entering this information press Save. This will open this window. Here you should click on the description you chose for the email account. In this example, we'll push **Culocalbiz**.

iPod 奈 🗘	4:55 PM 📧	
Cancel smtp	p.usalocalbiz Done	
Server	ON	
Outgoing Mail Server		
Host Name	smtp.usalocalbiz.com	
User Name	shane. culocalbiz. com	
Password	assword	
Use SSL	ON	
Authenticat	tion Password >	
Server Port	465	

In this window, slide the **Use SSL** slider until it says **ON**. Then press the Server Port number and change it to **465** before pressing **Done**.



Pod 奈	2:58 PM	Ē
Cancel	Culocalbiz	Done
Incoming Mail Server		
Host Name	smtp.usalocalbiz.co	m
User Name	shane@culocalbiz.co	m
Password	•••••	
Outgoing Mail Server		
SMTP	smtp.usalocalbiz.com	>
Advanced		>
Delete Account		

Pod 奈 2:59	PM 🗈	
Culocalbiz Advanced		
Deleted Messages		
Remove	After one week >	
Incoming Settings		
Use SSL	ON	
Authentication	Password >	
Delete from serve	r Never >	
Server Port 995		
S/MIME		
S/MIME	OFF	

You will now see the window above. This time, push **Advanced** In this window, slide the **Use SSL** slider until it says **ON**. Then press the Server Port number and change it to **995**. Exit by pushing **Culocalbiz** above. Then press **Done** to finish.



Setting up Email for MacMail

Let's take a look at how to setup your pop mail on MacMail. First pull up your accounts page located by going to Mail ->Preferences

$\Theta \bigcirc \Theta$	Accounts	Under Account Information
Ceneral Accounts Ceneral Acco	Accounts Junk Mail Fonts & Colors Viewing Composing Signatures Rules Account Information Mailbox Behaviors Advanced Account Type: POP Description: smtp.usalocalbiz.com Email Address: joe@josephyoder.com Full Name: Joseph Yoder Incoming Mail Server: smtp.usalocalbiz.com User Name: joe@josephyoder.com Password: •••••••	Under Account Information Set Description to smtp.usalocalbiz.com. replace Email address with your own and enter your full name as you would like it to appear. Incoming mail server will be the same as description and User Name and Password should use your email address and the login password for the
+ -	Use only this server	account. Outgoing Mail Server (SMTP) should be set to smtp.usalocalbiz.com and Use only this server should be checked.
Ceneral Accounts RSS General Accounts RSS Simplusalocalbi	Accounts Junk Mail Fonts & Colors Viewing Composing Signatures Rules Account Information Mailbox Behaviors Advanced © Enable this account © Include when automatically checking for new mail © Remove copy from server after retrieving a message: After one week @ Remove now Prompt me to skip messages over [KB Check with your system administrator before changing any of the advanced options below: Port: 995 © Use SSL Authentication: Password ?	Under Advanced Check all three boxes and set removal period to After one week (or your preferred removal period). Set Port to 995 . Check box for Use SSL and Authentication type to Password.



000	Accounts	Return to Acc
General Accounts RSS	Junk Mail Fonts & Colors Viewing Composing Signatures Rules	Information I
Acc Description smtp.usalocalbi	Server Name In Use By Account	Click Outgoing I and select Edit is see the window of the Advanced to the Advanced to the page. Click Use custor 465. Click Use S (SSL) Set Auther Password and e Note: this is you with the (@) so a period (.). The password and co
		And that's it!

count Page

Mail Server (SMTP) Server List. You will to the left. ooks different click ab in the center of

m port and set it to ecure Sockets Layer ntication to enter User Name. ur email address, but ymbol replaced with en enter your email lick OK.